## Amendments to the Claims:

Claims 1 - 43 (Canceled).

- 44. (Previously presented) An isolated polypeptide comprising:
- (a) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO: 2);
- (b) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO: 2), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209258.
- 45. (Previously presented) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2).
- 46. (Previously presented) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2) lacking its associated signal peptide.

Claims 47-48 (Canceled).

49. (Previously presented) The isolated polypeptide of Claim 44 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209258.

Claims 50 - 51 (Canceled)

- 52. (Currently amended) An isolated polypeptide having at least 80% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide; or,
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209258;

wherein said polypeptide is associated with the formation or growth of lung or colon tumor inhibits VEGF stimulated proliferation of endothelial cells.

- 53. (Currently amended) The isolated polypeptide of Claim 52 having at least 85% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209258;

wherein said polypeptide is associated with the formation or growth of lung or colon tumor inhibits VEGF stimulated proliferation of endothelial cells.

- 54. (Currently amended) The isolated polypeptide of Claim 52 having at least 90% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209258;

wherein said polypeptide is associated with the formation or growth of lung or colon tumor inhibits VEGF stimulated proliferation of endothelial cells.

- 55. (Currently amended) The isolated polypeptide of Claim 52 having at least 95% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209258;

wherein said polypeptide is associated with the formation or growth of lung or colon tumor inhibits VEGF stimulated proliferation of endothelial cells.

- 56. (Currently amended) The isolated polypeptide of Claim 52 having at least 99% amino acid sequence identity to:
- (a) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) the amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide; or
- (c) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 209258;

wherein said polypeptide is associated with the formation or growth of lung or colon tumor inhibits VEGF stimulated proliferation of endothelial cells.

- 57. (Previously presented) A chimeric polypeptide comprising a polypeptide according to Claim 44 fused to a heterologous polypeptide.
- 58. (Previously presented) The chimeric polypeptide of Claim 57, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.
- 59. (Previously presented) A chimeric polypeptide comprising a polypeptide according to Claim 52 fused to a heterologous polypeptide.

(Previously presented) The chimeric polypeptide of Claim 59, wherein said 60. heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin